Workplace smoking policies

Health Priority K: Tobacco Use and Exposure

Objective K3b: By 2010, reduce the percent of adults who reported that smoking is allowed in some or all work areas as their place of work's official smoking policy from 26 percent in 2000 to 19 percent.

2010 Target: 19%

Indicator: Workplace smoking policies

Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy

Year	Smoking Allowe Anywhe	d	Allowed Some of All Are	r	No Official Policy		
(N)	Percent	+/-	Percent	+/-	Percent +/-		
2000	74%	2%	20%	2%	6%	1%	
(N)	1,522		1,522		1,522		
2001	80% 2%		19%	2%	<1%	n/a	
(N)	2,067		2,067		2,067		
2002	80%	2%	19%	2%	<1%	n/a	
(N)	2,094		2,094		2,094		
2004	84%	2%	11%	2%	5%	1%	
(N)	2,284		2,284		2,284		
2005	82%	2%	11%	2%	6%	2%	
(N)	2,396		2,396		2,396		

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

N Number in sample. See data documentation.

+/- Confidence interval. See data documentation.

n/a Not applicable

Continued on next page

Prepared for Tracking the State Health Plan, 2010—State-Level Data http://dhfs.wisconsin.gov/statehealthplan/track2010 (July 2006)
Bureau of Health Information and Policy
Division of Public Health
Wisconsin Department of Health and Family Services

Workplace smoking policies, continued

Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy, by Sex

			Males	3		Females						
	Smoking	Smoking Not		Allowed in			Smoking	Not	Allowed in			
	Allowed		Some or All		No Offi	cial	Allowed Anywhere		Some or All Areas		No Official Policy	
Year	Anywhe	ere	Areas		Policy							
(N)	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000	64%	4%	27%	3%	8%	2%	83%	3%	14%	2%	4%	1%
(N)	673		673		673		849		849		849	
2001	74%	3%	26%	3%	<1%	n/a	85%	2%	14%	2%	<1%	n/a
(N)	892		892		892		1,175		1,175		1,175	
2002	72%	3%	27%	3%	1%	1%	87%	2%	12%	2%	<1%	n/a
(N)	799		799		799		1,295		1,295		1,295	
2004	77%	4%	16%	3%	7%	2%	90%	2%	7%		3%	1%
(N)	845		845		845		1,439		1,439		1,439	
2005	73%	4%	17%	4%	10%	3%	90%	2%	6%	2%	4%	2%
(N)	935		935		935		1,461		1,461		1,461	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

- N Number in sample. See data documentation.
- +/- Confidence interval. See data documentation.
- n/a Not applicable

Continued on next page

Workplace smoking policies, continued

Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy, by Race/Ethnicity

			Total			African American*						
Years	Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy		Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy	
(N)	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2001	77%	1%	20%	1%	3%	1%	62%	6%	35%	6%	3%	2%
(N)	3,575		3,575		3,575		251		251		251	
2001-2002	80%	1%	19%	1%	<1%	n/a	73%	5%	26%	5%	<1%	2%
(N)	4,167		4,167		4,167		293		293		293	
2002, 2004	82%	1%	15%	1%	3%	1%	79%	7%	18%	7%	2%	2%
(N)	4,385		4,385		4,385		347		347		347	
2004-2005	83%	1%	11%	1%	6%	1%	79%	9%	13%	6%	8%	8%
(N)	4,680		4,680		4,680		363		363		363	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

- N Number in sample. See data documentation.
- +/- Confidence interval. See data documentation.
- n/a Not applicable
- * Non-Hispanic

Continued on next page

Workplace smoking policies, continued

Percent of Wisconsin Adults Aged 18+ Who Have a Workplace Smoking Policy, by

Race/Ethnicity (continued)

			Hispar	nic		White*						
Years	Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy		Smoking Not Allowed Anywhere		Allowed in Some or All Areas		No Official Policy	
(N)	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-	Percent	+/-
2000-2001	75%	5%	23%	5%	2%	2%	78%	2%	19%	1%	3%	1%
(N)	282		282		282		2,899		2,899		2,899	
2001-2002	79%	5%	21%	5%	<1%	2%	81%	1%	18%	1%	<1%	n/a
(N)	295		295		295		3,418		3,418		3,418	
2002, 2004	**		**		**		83%	1%	14%	1%	3%	1%
(N)	**		**		**		3,792		3,792		3,792	
2004-2005	**		**		**		84%	2%	11%	2%	5%	1%
(N)	**		**		**		4,085		4,085		4,085	

Source: Wisconsin Behavioral Risk Factor Survey, Bureau of Health Information and Policy, Division of Public Health, Department of Health and Family Services.

- N Number in sample. See data documentation.
- +/- Confidence interval. See data documentation.
- n/a Not applicable
- * Non-Hispanic
- ** Fewer than 100 cases